

Technical Report: (3224)291-0119

Page 1 of 4
October 24, 2024



Bureau Veritas Testing Technical Service
(Zhejiang) Co., Ltd.
1F west, 6F east, 7F east, 8F Building B,
No.66 Qingsi Road, Ningbo, Zhejiang, China
Tel: 86-574-87991333, Fax: 86-574-87974038
website: cps.bureauveritas.com

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at: <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty, provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



**BUREAU
VERITAS**

LAB NO: **(3224)292-0119**
Page 2 of 4

TO: SUZHOU CC TEXTILE CO.,LTD

ATTN: MAX

LAB NO.: (3224)292-0119
TEST PHASE: /
FORM NO.: /
DATE IN: Oct 18, 2024
DATE OUT: Oct 24, 2024
NO. OF WORKING DAYS: 5
REVISION DATE:
REASON FOR REVISION: /
PAGE 2 OF 4

OVERALL RATING

PASS	<u> X </u>
FAIL	<u> </u>
DATA	<u> </u>

Agent:	/	Factory/Manufacturer:	/
P.O. No.:	/	Style Number:	/
Sample Description:	A: ONE PC OF PURPLE NON- LEATHER FABRIC B: ONE PC OF LIGHT GREEN NON- LEATHER FABRIC	Color:	A: PURPLE B: LIGHT GREEN
Country of Origin:	/	Claimed Fabric Weight:	/
Fabric Count/ Yarn Size:	/	Size Range:	/
Submitted Size:	/	Delivery Name/ Date:	/
Fabric No.:	/	End Use:	DOWN JACKET
Trim Code No.:	/	No. of Submitted Samples:	/
SKU No.:	/	Reference #:	/
No. of Submitted Component:	/	FPU No.:	/
P.O. Order Quantity:	/	Unique Identifier No.:	/
GPU No.:	/	Trim ID #(s):	/
Fabric ID #:	/	Gender:	/
Seam ID #(s):	/	Yellow Seal Lock Serial No.:	/
China PO#::	/		

Test Protocol	/
Product Category	FABRIC
Test Requested	SELECT TEST
Previous Report No.	/

Submitted Fiber Content	100% POLYESTER
Actual Fiber Content	/
Suggested Fiber	/

C/N SM



Content	
Submitted Care Instruction(s)	
Suggested Care Instruction(s)	/

TEST PROPERTY	PASS	FAIL	DATA	COMMENTS
APPEARANCE AFTER CARE	X			

Remark: BVCPS (Ningbo) contact information for this report

General Information:

Lisa Li (86)0574-87091184, Email: lisa-yy.li@bureauveritas.com

Lillian lin (86)0574-87091317, Email: lillian.a.lin@bureauveritas.com

Technical Questions:

Vivian Tian (86)0574-87091144, Email: vivian.tian@bureauveritas.com

Bureau Veritas Testing Technical Service (Zhejiang) Co.,Ltd

Joe. Zhou

Joe Zhou
Operation Manager
Softlines Department



<u>TEST PROPERTY</u>	<u>TEST RESULTS</u>	<u>REQUIREMENTS</u>
<u>APPEARANCE AFTER CARE</u> (CPSD-SL-31055-MTHD)		
A		
MODIFIED, TIDE DETERGENT, 3 WASHES, 3 DRY, GENTLE CYCLE AT 27 DEGREE CELSIUS (80 FAHRENHEIT TEMP), TUMBLE DRY LOW, 4-LBS LOAD		
APPEARANCE	SATISFACTORY	SATISFACTORY
EVALUATION		
COLOR CHANGE	4.0	
SELF - STAINING	/	
PILLING	4.0	
ANY OBSERVED DEFECTS	SATISFACTORY	
B		
MODIFIED, TIDE DETERGENT, 3 WASHES, 3 DRY, GENTLE CYCLE AT 27 DEGREE CELSIUS (80 FAHRENHEIT TEMP), TUMBLE DRY LOW, 4-LBS LOAD		
APPEARANCE	SATISFACTORY	SATISFACTORY
EVALUATION		
COLOR CHANGE	4.0	
SELF - STAINING	/	
PILLING	4.0	
ANY OBSERVED DEFECTS	SATISFACTORY	
COLORFASTNESS RATING	COLORFASTNESS RATING	
COLOR CHANGE	COLOR STAIN	
	SELF STAINING	
5 NEGLIGIBLE OR NO CHANGE	5 NEGLIGIBLE OR NO STAINING	
4 SLIGHTLY CHANGED	4 SLIGHTLY STAINED	
3 NOTICEABLY CHANGED	3 NOTICEABLY STAINED	
2 CONSIDERABLY CHANGED	2 CONSIDERABLY STAINED	
1 MUCH CHANGED	1 HEAVILY STAINED	

-END OF REPORT-